

COVID-19 MONTHLY DATA REPORT - FEBRUARY 2021

Table of Contents

Phoenix

Mesa

Chandler

Scottsdale

Gilbert

<u>Glendale</u>

Tempe

Peoria

Surprise

Avondale

Goodyear

Buckeye

Queen Creek

Apache Junction

El Mirage

Fountain Hills

Paradise Valley

Wickenburg

Tolleson

Youngtown

<u>Guadalupe</u>

Litchfield Park

Cave Creek

Carefree

Gila Bend



Phoenix, AZ

Population: 1,680,992

Where were you in February?

Phoenix was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Phoenix
February (week 1)	290.0	285.2
(week 2)	180.0	151.3
(week 3)	150.0	129.9
(week 4)	110.0	91.3

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in **Phoenix**

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Phoenix.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Mesa, AZ

Population: 518,012

Where were you in February?

Mesa was **Similar**

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Mesa
February (week 1)	290.0	265.6
(week 2)	180.0	156.8
(week 3)	150.0	129.1
(week 4)	110.0	102.9

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in Mesa

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Mesa.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Chandler, AZ

Population: 261.165

Where were you in February?

Chandler was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100.000 persons

,		
	Maricopa County	Chandler
February (week 1)	290.0	251.2
(week 2)	180.0	148.2
(week 3)	150.0	132.5
(week 4)	110.0	88.1

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in Chandler

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Chandler.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Scottsdale, AZ

Population: 258.069

Where were you in February?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Scottsdale
February (week 1)	290.0	196.5
(week 2)	180.0	121.3
(week 3)	150.0	101.5
(week 4)	110.0	89.1

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in **Scottsdale**

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Scottsdale.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Gilbert, AZ

Population: 254,114

Where were you in February?

Gilbert was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Gilbert
February (week 1)	290.0	262.1
(week 2)	180.0	159.0
(week 3)	150.0	154.7
(week 4)	110.0	100.3

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Gilbert

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Gilbert.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Glendale, AZ

Population: 252.381

Where were you in February?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Glendale
February (week 1)	290.0	321.7
(week 2)	180.0	166.4
(week 3)	150.0	123.6
(week 4)	110.0	92.3

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in Glendale

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Glendale.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Tempe, AZ

Population: 195,805

Where were you in February?

Tempe was **Similar**

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Tempe
February (week 1)	290.0	205.8
(week 2)	180.0	102.1
(week 3)	150.0	85.3
(week 4)	110.0	64.3

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in Tempe

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Tempe.

The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Peoria, AZ

Population: 175,961

Where were you in February?

Peoria was **Similar**

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Peoria
February (week 1)	290.0	350.1
(week 2)	180.0	188.7
(week 3)	150.0	162.5
(week 4)	110.0	78.4

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in Peoria

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Peoria.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Surprise, AZ

Population: 141.664

Where were you in February?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Surprise
February (week 1)	290.0	345.9
(week 2)	180.0	181.4
(week 3)	150.0	132.0
(week 4)	110.0	100.9

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in **Surprise**

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Surprise.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Avondale, AZ

Population: 87.931

Where were you in February?



to the rate of cases diagnosed in Maricopa County.



COVID-19	case	rate r	er 1	00.	000	persons
----------	------	--------	------	-----	-----	---------

	Maricopa County	Avondale
February (week 1)	290.0	305.9
(week 2)	180.0	183.1
(week 3)	150.0	178.5
(week 4)	110.0	128.5

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in Avondale

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Avondale.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Goodyear, AZ

Population: 86.840

Where were you in February?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100.000 persons

	Maricopa County	Goodyear		
February (week 1)	290.0	333.9		
(week 2)	180.0	181.9		
(week 3)	150.0	161.2		
(week 4)	110.0	117.5		

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in Goodyear

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Goodyear.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Buckeye, AZ

Population: 79,620

Where were you in February?

Buckeye was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Buckeye
February (week 1)	290.0	383.1
(week 2)	180.0	189.7
(week 3)	150.0	188.4
(week 4)	110.0	141.9

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Buckeye

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Buckeye.

The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Queen Creek, AZ

Population: 50.890

Where were you in February?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Queen Creek
February (week 1)	290.0	299.1
(week 2)	180.0	216.2
(week 3)	150.0	121.3
(week 4)	110.0	123.3

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Queen Creek

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Oueen Creek.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Apache Junction, AZ

Population: 42,571

Where were you in February?

Apache Junction was less

than the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Apache Junction
February (week 1)	290.0	4.7
(week 2)	180.0	11.7
(week 3)	150.0	11.8
(week 4)	110.0	9.4

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Apache Junction

stayed the same.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Apache Junction.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






El Mirage, AZ

Population: 35.753

Where were you in February?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	El Mirage
February (week 1)	290.0	321.7
(week 2)	180.0	181.8
(week 3)	150.0	153.8
(week 4)	110.0	100.7

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in **El Mirage**

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in E Mirage.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Fountain Hills, AZ

Population: 25,200

Where were you in February?

Fountain Hills similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Fountain Hills
February (week 1)	290.0	154.8
(week 2)	180.0	95.2
(week 3)	150.0	55.6
(week 4)	110.0	67.5

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Fountain Hills

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Fountain Hills.

The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Paradise Valley, AZ

Population: 14,637

Where were you in February?

Paradise Valley was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Paradise Valley
February (week 1)	290.0	225.5
(week 2)	180.0	88.8
(week 3)	150.0	61.5
(week 4)	110.0	68.3

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Paradise Valley

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Paradise Valley.

The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Wickenburg, AZ

Population: 8.092

Where were you in February?

Wickenburg was **ESS**

than the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

* * * * * * * * * * * * * * * * * * * *	· · · · · · · · · · · · · · · · · · ·	
	Maricopa County	Wickenburg
February (week 1)	290.0	86.5
(week 2)	180.0	74.1
(week 3)	150.0	61.8
(week 4)	110.0	49.4

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Wickenburg

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Wickenburg.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Tolleson, AZ

Population: 7.372

Where were you in February?

Tolleson was S milar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Tolleson
February (week 1)	290.0	312.0
(week 2)	180.0	108.5
(week 3)	150.0	122.1
(week 4)	110.0	217.0

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in Tolleson

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Tolleson.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Youngtown, AZ

Population: 6.898

Where were you in February?

Youngtown was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19	case	rate per	100	.000	persons
----------	------	----------	-----	------	---------

	Maricopa County	Youngtown
February (week 1)	290.0	349.9
(week 2)	180.0	58.3
(week 3)	150.0	320.7
(week 4)	110.0	218.7

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Youngtown

increased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Youngtown.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Guadalupe, AZ

Population: 6.631

Where were you in February?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Guadalupe
February (week 1)	290.0	286.5
(week 2)	180.0	181.0
(week 3)	150.0	181.0
(week 4)	110.0	90.5

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February. COVID-19 cases diagnosed in Guadalupe

decreased.

Cases in Maricopa County decreased during this time period.

 * Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Guadalupe.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Litchfield Park, AZ

Population: 6,436

Where were you in February?

Litchfield Park was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Litchfield Park
February (week 1)	290.0	341.8
(week 2)	180.0	186.5
(week 3)	150.0	108.8
(week 4)	110.0	46.6

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Litchfield Park

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Litchfield Park.

The public should:

- Wear masks when they cannot physically distance.
- > Limit gatherings to less than 10 people.
- > Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.






Cave Creek, AZ

Population: 5.838

Where were you in February?

Cave Creek was Smilar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Cave Creek
February (week 1)	290.0	342.6
(week 2)	180.0	85.6
(week 3)	150.0	137.0
(week 4)	110.0	0.0

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Cave Creek

decreased.

Cases in Maricopa County decreased during this time period.

 st Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in C

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Carefree, AZ

Population: 3,,876

Where were you in February?

Carefree was Similar

to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Carefree
February (week 1)	290.0	178.3
(week 2)	180.0	203.7
(week 3)	150.0	76.4
(week 4)	110.0	50.9

A case rate is the number of cases in a city compared to the population size. This lets us compare regions with different population sizes.

From the first 2 weeks in February to the last 2 weeks in February,

COVID-19 cases diagnosed in Carefree

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in Carefree.

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- > Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.





Gila Bend, AZ

Population: 2.094

Where were you in February?



to the rate of cases diagnosed in Maricopa County.



COVID-19 case rate per 100,000 persons

	Maricopa County	Gila Bend
February (week 1)	290.0	428.6
(week 2)	180.0	0.0
(week 3)	150.0	142.9
(week 4)	110.0	95.2

A case rate is the number of cases in a city compared to the lets us compare regions with different

From the first 2 weeks in February to the last 2 weeks in February, COVID-19 cases diagnosed in Gila Bend

decreased.

Cases in Maricopa County decreased during this time period.

*Case rates for weeks 1&2 were compared with weeks 3&4 to determine the acceleration of COVID-19 in C

The public should:

- Wear masks when they cannot physically distance.
- Limit gatherings to less than 10 people.
- Stay home as much as possible.
- Practice good health hygiene, including hand washing, covering coughs and sneezes, etc.

The city or town should continue providing these recommendations to its residents.

